

PORCELAIN PAVER



The Perfect Blend of Durability and Design for Outdoor Spaces

Porcelain pavers are an exceptional choice for those seeking both visual appeal and long-lasting performance in outdoor flooring. Made from high-density porcelain fired at extremely high temperatures, these pavers are non-porous, highly resistant to stains, frost, water absorption, and scratches—making them ideal for all weather conditions and high-traffic areas.

Available in a wide range of colors, textures, and finishes, porcelain pavers can beautifully replicate the look of natural stone, wood, or concrete, adding elegance and character to patios, walkways, pool decks, and driveways. Their lightweight design allows for easy installation, while their low-maintenance surface ensures long-term convenience and cost-effectiveness.

Offering flexibility in installation, porcelain pavers can be laid directly on compacted surfaces or installed on raised systems, providing excellent drainage and easy access to underlying infrastructure.

Eco-friendly, stylish, and incredibly resilient, porcelain pavers are the modern answer to outdoor flooring that doesn't compromise on form or function.

Colors



24X24 BLUE STONE STEEL SLATE
2CM R11




24X24 BLUE STONE STEEL
2CM R11



24X24 CROSSOVER BEIGE
2CM R11



24X24 CROSSOVER WHITE
2CM R11



24X24 CROSSOVER ANTHRACITE
2CM R11



24X24 CROSSOVER CREMA
2CM R11



24X24 CLAY WHITE
2CM R11



24X24 EPIRO ANTHRACITE
2CM R11



24X24 EPIRO GREY
2CM R11



24X24 SANDROCK SILVER
2CM R11



24X24 QUARRY GREY MATTE
2CM R11




24X24 CANYON CREAM
2CM R11



24X24 LIME STONE IVORY
2CM R11

Key features include:

- **Durability:** Highly resistant to wear, ideal for outdoor use in high-traffic areas.
- **Non-porous:** Impervious to water, stains, and frost, reducing the risk of moisture damage.
- **Scratch-resistant:** Can withstand heavy use without surface damage.
- **Weather-resistant:** Can handle extreme temperatures and UV exposure.
- **Aesthetic variety:** Available in a range of designs, mimicking natural materials.
- **Slip-resistance:** Textured surfaces provide safety in wet conditions.
- **Low maintenance:** Easy to clean and maintain over time.
- **Eco-friendly:** Made from sustainable materials, reducing environmental impact.
- **Lightweight:** Easier to install compared to traditional concrete pavers.



Packaging/Box/Pallet Details:

Nominal Thickness		Nominal Size		PCS/BOX	Box		Box per Pallet	Pallet		Pallet Size		Weight of Loaded Pallet	
cm	inch	cm	inch		m ²	sqf		m ²	sqf	cm	inch	kg	lb
2	3/4"	60x60	24x24	2	0.72	7.74	30	21.60	232.41	80x120x75	31x48x29	1,150	2,530
2	3/4"	60x120	24x48	1	0.72	7.74	32	23.04	247.91	93x128x75	36x50x29	1,250	2,750
2	3/4"	30x60	12x24	4	0.72	7.74	32	23.04	247.91	80x120x75	31x48x29	1,220	2,684
2	3/4"	30x30	12x12	4	0.36	3.87	64	23.04	247.91	80x120x75	31x48x29	1,220	2,684
2	3/4"	80x80	32x32	1	0.64	6.88	43	27.52	296.11	80x120x75	31x48x29	1,300	2,860

* **Request Quote if the Freight Service is required**, by LTL needed.
For more details and delivery for different locations please contact to Sales Representative.



Test Reports

Method	Declared Value
 The ASTM C373 Water Absorption	≤ 0.3 %
 The ASTM C648 Breaking Strength	≥ 2000 lbf
 The ASTM C650 Chemical Resistance	Resistant
 The ASTM C1026 Freeze-Thaw	Resistant
 The ASTM C1027 Surface Abrasion (PEI)	Min Class 4
 The ASTM C1378 Stain Resistance	Min Class B
 ANSI A326.3 Dynamic Coefficient of Friction (DCOF – wet only)	≥ 0.68
 ASTM 1895 Mohs Scratch Hardness	Min 7
 Rectified	Yes